



**GeoChem**  
Industrial and Speciality Chemicals

# Durogloss

## POLYMER SOLID FLOOR POLISH WITH HIGH GLOSS

### DESCRIPTION

Durogloss is a white liquid, emulsion polish. Specially developed to give high gloss and floor wear characteristics.

### APPLICATIONS (Usage Areas)

Durogloss can be used in all types of industrial and household surfaces such as vinyl, lino, cork, sealed wood and concrete surfaces.

### DIRECTIONS FOR USE

#### Floor Preparation:

Remove all old sealers, waxes, finishes, soil, etc. by hand or machine scrubbing. Rinse thoroughly and allow to dry.

#### Application:

Apply in even, parallel strokes with a clean lambs-wool applicator, mop, brush or lint-free cloth. Two coats with 25 minutes drying between coats is recommended.

#### Maintenance:

Sweep or vacuum daily. Remove surface soil by damp or wet mopping where necessary.

#### Recoating:

Clean floor with neutral cleaner, rinse well and allow to dry. Apply as directed in application above.

### BENEFITS

High gloss  
Quality polymer  
Low maintenance  
Coverage 60-70m<sup>2</sup>

### PRECAUTIONS

Durogloss must be applied correctly

- Do not use on unprepared floors
- Ensure floors are clean and dry
- Use clean tools and applicators
- Do not maintain with alkali detergents
- Keep out of the reach of children

### EMERGENCY TREATMENT

Skin contact: Flush immediately with soap and water, wash contaminated clothing before reuse. If irritation develops, seek medical advice.

Eye contact: Rinse immediately with plenty of water for 15 minutes with eyelids held wide open. Seek medical advice.

Inhalation: Move person to fresh air and seek medical advice.

Ingestion: Induce vomiting. Give 2 glasses of water to drink and seek immediate medical attention.

### STORAGE

Durogloss has a shelf life of two years. Once dispensed use immediately.

#### Conditions to avoid:

Temperatures above 30C

#### Incompatible materials:

Strong acids and alkali materials.